



सीमाशुल्क प्रधान आयुक्त का कार्यालय
OFFICE OF THE COMMISSIONER OF CUSTOMS
सीमाशुल्क सदन, पत्तन क्षेत्र, विशाखपट्टणम-530035
CUSTOM HOUSE, PORT AREA, VISAKHAPATNAM-530035
फोन: 0891 2526812, फैक्स: 0891 2562613
PHONE: 0891 2526812. FAX: 0891 2562613

F.NO. S23/197/2016-AP (DBK)

Date: 31 /05 /2017

PUBLIC NOTICE NO. 17 /2017

Sub : Exemption from drawl of samples for the purpose of grant of drawback to the AEO Certificate holders - Reg.

Attention of all Importers, Exporters, Customs Brokers and the Members of the Trade is invited to the following Board's Circular No. 18/2017-Cus. dated 29-05-2017 read with Circular No. 33/2016-Cus. dated 22-07-2017, issued by the Central Board of Excise and Customs, New Delhi, for guidance of the Exporters/ Custom Brokers and Trade.

Difficulties if any, may be brought to the notice of the department.

Sudhakar Mishra
31.5.17
SUDHAKAR MISHRA,
ADDITIONAL COMMISSIONER OF CUSTOMS.

To

1. All concerned.

Subject: Exemption from drawl of samples for the purpose of grant of drawback to the AEO certificate holders.- reg.

I am directed to invite your attention to Circular No. 5/2017-Cus dated 28.2.2017, wherein exporters who have been accorded Authorized Economic Operator (AEO) certificate (Tier II & Tier III) in terms of Circular No. 33/2016-Customs dated 22.07.2016 have been exempted from the requirements of drawal of samples for the purpose of grant of drawback, except in case of any specific information or intelligence.

2. In continuation of above mentioned Circular, and as a measure of further facilitation, it has been decided to extend the exemption from the requirements of drawal of samples for the purpose of grant of drawback to Authorized Economic Operator (AEO) holding Tier-I certificate, except in case of any specific information or intelligence.

3. Suitable Public Notice and Standing Order should be issued for guidance of the trade and officers. Any difficulty faced should be intimated to the Board.

Yours faithfully,

(Dipin Singla)
Senior Technical Officer (Drawback)

4